

References

- [1] Sivian, I.J., *Acoustic impedance of small orifices*. Journal of the Acoustical Society of America 1935. **7**.
- [2] Ingård, U. and Ising, H., *Acoustic nonlinearity of an orifice*. Journal of the Acoustical Society of America, 1967. **42**.
- [3] Rice, E.J. , *A Model for the acoustic impedance of a perforated plate liner with multiple frequency excitations* 1971.
- [4] Melling, T.H., *The acoustic Impedance of Perforates at Medium and High Sound Pressure Levels*. Journal of Sound and Vibration, 1973.
- [5] Cummings, A., *Acoustic nonlinearities and power losses at orifices*. AIAA Journal, 1984. **22(6)**.
- [6] Bodén, H., *Acoustic properties of perforates under high level multi-tone excitation*, in *19th AIAA/CEAS Aeroacoustics Conference*. 2013.
- [7] Bodén, H., *The effect of high level multi-tone excitation on the acoustic properties of perforates and liner samples*, in *18th AIAA/CEAS Aeroacoustics Conference*. 2012.
- [8] Bodén, H., *One-sided multi-port techniques for characterisation of in-duct samples with nonlinear acoustic properties*. Journal of Sound and Vibration, 2012. **331**.
- [9] Bodén, H., *Two-Sided Multi-Port Techniques for Characterisation of In-Duct Samples with Non-Linear Acoustic Properties*. Acta Acustica united with Acustica, 2013. **99**.
- [10] Dickey, N.S., Selamet, A. and Ciray, M.S., *An experimental study of the impedance of perforated plates with grazing flow*. Journal of Acoustical Society of America, 2001. **110**: p. 2360-2370.
- [11] Feder, E. and Dean, L. W., *Analytical and Experimental Studies for Predicting Noise Attenuation in Acoustically Treated Ducts for Turbofan Engines NASA Contractor Report CR-1373* 1969.
- [12] Karlsson, M. and Åbom, M., *Aeroacoustics of T-junctions-an experimental investigation*. Journal of Sound and Vibration, 2010. **329**: p. 1793-1808.
- [13] Holmberg, A., Karlsson, M. and Åbom, M., *Aeroacoustics of rectangular T-junctions subject to combined grazing and bias flows - An experimental investigation*. Journal of Sound and Vibration, 2015. **340**: p. 152-166.
- [14] Shah, S.A., Bodén, H., Boij, S. and D'elia, M.E., *Three-port Measurements for Determination of the Effect of Flow on the Acoustic Properties of Perforates*, in *AIAA AVIATION 2021 FORUM*. 2021: Virtual Event.
- [15] Temiz, M.A., Tournadre, J., Arteaga, I.L. and Hirschberg, A. , *Non-linear acoustic transfer impedance of micro-perforated plates with circular orifices*. Journal of Sound and Vibration, 2016.
- [16] Auregan, Y. and Pachebat, M. , *Measurement of the nonlinear behavior of acoustical rigid porous materials*. Physics of Fluids, 1999. **11**.
- [17] Renou, Y. , *Impédance des traitements acoustiques absorbants en conduit : effets de l'écoulement rasant et de la couche limite*, in *Laboratoire d'Acoustique de l'Université du Mans*. 2010, Le Mans University.
- [18] Elnady, T. and Bodén, H. *On the modelling of the acoustic impedance of perforates with flow*. in *9th AIAA/CEAS Aeroacoustics Conference*. 2003.
- [19] Shah, S., Bodén, H. and Boij, S., *Experimental study on the acoustic properties of perforates under flow using three-port technique*, in *27th International Congress on Sound and Vibration*. 2021: Prague.
- [20] Guess, A.W., *Calculation of Perforated Plate Liner Parameters from Specified Acoustic Resistance and Reactance*. Journal of Sound and Vibration, 1975. **40**: p. 119-137.
- [21] Betts, J.F., *Experiments and Impedance Modeling of Liners Including The Effect of Bias Flow*. 2000, Virginia Polytechnic Institute and State University.
- [22] Dean, P.D., *An In-Situ method of wall acoustic impedance measurements in flow ducts*. Journal of Sound and Vibration, 1974. **34**: p. 97-130.
- [23] Dokumaci, E., *A Note on Transmission of Sound in a Wide Pipe with Mean Flow and Viscothermal Attenuation*. Journal of Sound and Vibration, 1997. **208**: p. 653-655.
- [24] Flügge, S. , *Handbuch der Physik*. 1955: Springer.